

Publicações Científicas (Periódicos e livros)

Artigos em Periódicos:

-Vassoler, J. M. ; REIPS, L. ; FANCELLO, E. A. . A variational framework for fiber-reinforced viscoelastic soft tissues. International Journal for Numerical Methods in Engineering (Print), v. 89, p. 1691-1706, 2012.

- Salmoria, G.V. ; KLAUSS, P. ; Zepon, K. ; Kanis, L.A. ; Roesler, C.R.M. ; Vieira, L.F. . Development of functionally-graded reservoir of PCL/PG by selective laser sintering for drug delivery devices. Virtual and Physical Prototyping (Print), v. 7, p. 107-115, 2012.

-Salmoria, Gean V. ; Fancello, Eduardo A. ; Roesler, Carlos R. M. ; Dabbas, Frederic . Functional graded scaffold of HDPE/HA prepared by selective laser sintering: microstructure and mechanical properties. International Journal, Advanced Manufacturing Technology, v. 60, p. 1-6, 2012.

-Müller, D. ; Rambo, C.R. ; D.O.S.Recouvreux, ; Porto, L.M. ; Barra, G.M.O. . Chemical in situ polymerization of polypyrrole on bacterial cellulose nanofibers. Synthetic Metals, v. 161, p. 106-111, 2011.

-Recouvreux, Derce O.S. ; Rambo, Carlos R. ; Berti, Fernanda V. ; Carminatti, Claudimir A. ; Antônio, Regina V. ; Porto, Luismar M. . Novel three-dimensional cocoon-like hydrogels for soft

Núcleo de Engenharia Biomecânica e Biomateriais

<http://engenhariabiomecanica.ufsc.br/>

gsalmoria@emc.ufsc.br

tissue regeneration. Materials Science & Engineering. C, Biomimetic Materials, Sensors and Systems (Print), v. 31, p. 151-157, 2011.

- ROESLER, C. R. M. . Dados e informações sobre os riscos da utilização do aço 316L na fabricação de implantes ortopédicos - LEBm/HU-UFSC. BIT - Boletim Informativo de Tecnovigilância, v. 1, p. 1-13, 2011.

- Stares, Steferson Luiz ; Boehs, Lourival ; Fredel, Márcio Celso ; Aragones, Aguedo . ASSESSING THE POSSIBILITY OF MACHINING OF THE SELF-REINFORCED BIODEGRADABLE POLYMER P(L/DL)LA 70:30. Machining Science and Technology, v. 15, p. 392-414, 2011.

-W. F. M. Martins ; D. M. Fúcio ; SALMORIA, G. V. ; W. S. Wiggers ; F.S. Mattoso . Tratamento de Superfície de Tubos de Poliamida 11 via Chama para Deposição de Revestimento Hidrofílico Biomédico. Polímeros (São Carlos. Impresso), v. 20, p. 1-11, 2010.

- Casadei, Ana Paula M. ; Dingee, F. ; SILVA, T. E. ; PRETTE, A. L. G. ; Rambo, C. R. ; FREDEL, M. C. ; Duek, E. A. R. . Manufacturing of Porous PPLA-HA Composite Scaffolds by Sintering for Bone Tissue Engineering. Ceramic Engineering and Science Proceedings, v. 30, p. 169-177, 2010.

-Barreiro, A. M. ; Recouvreux, D. O. S. ; HOTZA, D. ; Porto, L. M. ; RAMBO, C. R. . Sand dollar skeleton as templates for bacterial cellulose coating and apatite precipitation. Journal of Materials Science, v. 45, p. 5252-5256, 2010.

-Esposito, Andrea R ; DUEK, E.A.R ; Lucchesi, Carolina ; MAZUR, L.P. ; PEZZIN, A. P. T. . Citocompatibilidade de blendas de poli(p-dioxanona)/ poli(hidroxi butirato) (PPD/PHB) para

Núcleo de Engenharia Biomecânica e Biomateriais

<http://engenhariabiomecanica.ufsc.br/>

gsalmoria@emc.ufsc.br

aplicações em engenharia de tecido cartilaginoso. Polímeros (São Carlos. Impresso), v. 20, p. 383-388, 2010.

-SUAVE, J. ; DALLAGNOL, E.C. ; PEZZIN, A. P. T. ; MEIER, M. M. ; SILVA, D.A.K. . Biodegradable microspheres of poly(3-hydroxybutyrate)/poly(ϵ -caprolactone) loaded with malathion pesticide: Preparation, characterization, and in vitro controlled release testing. *Journal of Applied Polymer Science (Print)*, v. 117, p. 3419-3427, 2010.

-SALMORIA, G. V. ; KLAUSS, Priscila ; PAGGI, Rodrigo ; Kanis, L. ; LAGO, Alexandre . Structure and mechanical properties of cellulose based scaffolds fabricated by selective laser sintering. *Polymer Testing*, v. 28, p. 648-652, 2009.

- TRILHA JUNIOR, M. ; FANCELLO, E. A. ; ROESLER, C. R. M. ; MORE, A. D. O. . Three-dimensional numerical simulation of human knee joint mechanics. *Acta Ortopédica Brasileira*, v. 17(2), p. 18-23, 2009.

-BECKER, Sidnei ; Soares, Cíntia ; PORTO, Luismar Marques . Computational analysis suggests that virulence of *Chromobacterium violaceum* might be linked to biofilm formation and poly-NAG biosynthesis. *Genetics and Molecular Biology (Impresso)*, v. 32, p. 640-644, 2009.

- VOLPATO, C ; MONTEIROJR, S ; DEANDRADA, M ; FREDEL, M ; PETTER, C . Optical influence of the type of illuminant, substrates and thickness of ceramic materials. *Dental Materials*, v. 25, p. 87-93, 2009.

Núcleo de Engenharia Biomecânica e Biomateriais

<http://engenhariabiomecanica.ufsc.br/>

gsalmoria@emc.ufsc.br

- Pétille, Luana B. ; Silva, Patrícia M. S. ; Peccin, Vinícius B. ; Peres, Ricardo ; Silveira, Pierre G. ; Giacomelli, Cristiano ; Giacomelli, Fernando C. ; Fredel, Márcio C. ; Spinelli, Almir . human electrochemical properties of a NiTi-based alloy (Nitinol) used for minimally invasive implants. *Journal of Biomedical Materials Research. Part A*, v. 89A, p. 1072-1078, 2009.

- LOPES, Poliana P ; Ferreira, B. J.M.L. ; ALMEIDA, N. A. F. ; FREDEL, M. C. ; FERNANDES, M. H. V. ; CORREIA, R. N. . Preparation and study of In vitro Bioactivity of PMMA-co-EHA composites filled with Ca₃(PO₄)₂-SiO₂-MgO glass.. *Materials Science & Engineering. C, Biomimetic Materials, Sensors and Systems*, v. 28, p. 572-577, 2008.

- RAMBO, C. R. ; RECOUVREUX, Derce de Oliveira Souza ; CARMINATTI, Cláudimir Antônio ; PITLOVANCIV, Ana Kelly ; ANTÔNIO, Regina Vasconcellos ; PORTO, Luismar Marques . Template assisted synthesis of porous nanofibrous cellulose membranes for tissue engineering. *Materials Science & Engineering. C, Biomimetic Materials, Sensors and Systems*, v. 28, p. 549-554, 2008.

- MORE, A. D. O. ; ROESLER, C. R. M. ; DORNELLES, M. F. . Resistência Mecânica de Fixações Ligamentares do Joelho. *Jornal da Sociedade Catarinense de Ortopedia e Traumatologia*, v. 08, p. 10-11, 2008.

- FANCELLO, E. A. ; VASSOLER, Jakson Manfredini ; STAINIER, L . A variational constitutive update algorithm for a set of isotropic hyperelastic viscoplastic material models. *Computer Methods in Applied Mechanics and Engineering*, v. 197, p. 4132-4148, 2008.

Núcleo de Engenharia Biomecânica e Biomateriais

<http://engenhariabiomecanica.ufsc.br/>

gsalmoria@emc.ufsc.br

-FANCELLO, E ; PONTHOT, J ; STAINIER, L . A variational framework for nonlinear viscoelastic models in finite deformation regime. *Journal of Computational and Applied Mathematics*, v. 215, p. 400-408, 2008.

-FANCELLO, E. A. ; GOGLIO, L. ; STAINIER, Laurent ; VASSOLER, Jakson Manfredini . Identification of the Strain Rate Parameters for Structural Adhesives. *Journal of Adhesion Science and Technology (Print)*, v. 22, p. 1523-1540, 2008.

- LOPES, P ; CORBELLINI, M ; FERREIRA, B ; ALMEIDA, N ; FREDEL, M. C. ; FERNANDES, M ; CORREIA, R . New PMMA-co-EHA glass-filled composites for biomedical applications: Mechanical properties and bioactivity. *Acta Biomaterialia*, v. 5, p. 356-362, 2008.

-SALMORIA, G. V. ; AHRENS, Carlos Henrique ; KLAUSS, Priscila ; PAGGI, Rodrigo ; OLIVEIRA, Rafael Galet ; LAGO, Alexandre . RAPID MANUFACTURING OF POLYETHYLENE PARTS WITH CONTROLLED POROUS GRADIENTS BY SELECTIVE LASER SINTERING. *Materials Research*, v. 10, p. 211-214, 2007.

-BERTI, Fernanda Vieira ; Pértile, R. A. N. ; SIQUEIRA JÚNIOR, Jarbas Mota ; VALLE, R. M. R. ; DIAS, Paulo Fernando ; PORTO, Luismar Marques . Estudo in vitro do efeito antitumoral da aloína em cultura de células de melanoma. *Exacta* (São Paulo. Impresso), v. 5, p. 169-176, 2007.

-Pértile, R. A. N. ; SIQUEIRA JÚNIOR, Jarbas Mota ; RAMBO, C. R. ; BERTI, Fernanda Vieira ; VALLE, R. M. R. ; PORTO, Luismar Marques . Interação de culturas celulares com suportes biopoliméricos para aplicações biomédicas. *Exacta* (São Paulo. Impresso), v. 5, p. 342-352, 2007.

Núcleo de Engenharia Biomecânica e Biomateriais

<http://engenhariabiomecanica.ufsc.br/>
gsalmoria@emc.ufsc.br

- LOPES, Poliana P ; FERREIRA, B. J. M. Leite ; ALMEIDA, N. A. F. ; SILVA, T. E. ; FREDEL, M. C. ; FERNANDES, M. H. V. ; CORREIA, R. N. . In vitro Bioactivity of PMMA-Based Composite in Simulated Plasma with Albumin.. Matéria (UFRJ), v. 12, p. 128-133, 2007.

-FANCELLO, E. A. . Topology optimization for minimum mass design considering local failure constraints and contact boundary conditions. Structural and Multidisciplinary Optimization (Print), U.K, v. 32, p. 229-240, 2006.

-FANCELLO, E. A. ; PONTHOT, Jeanphilippe ; STAINIER, Laurent . A variational formulation of constitutive models and updates in non-linear finite viscoelasticity. International Journal for Numerical Methods in Engineering (Print), v. 65, p. 1831-1864, 2006.

- FRANKE, M. ; TAYLOR, A. ; LAGO, Alexandre ; FREDEL, M. C. . Influence of Nd:YAG Laser Irradiation on an Adhesive Restorative Procedure.. Operative Dentistry, v. 31, p. 604-609, 2006.

-PEZZIN, A. P. T. ; DUEK, E.A.R. . Miscibility and hydrolytic degradation of bioreabsorbable blends of poly(p-dioxanone) (PPD) and poly(L- lactic acid) (PLLA). Journal of Applied Polymer Science, v. 101, n.3, p. 1899-1912, 2006.

-DUARTE, M.A.T. ; PEZZIN, A. P. T. ; PEZZIN, S.H. . Thermal and mechanical behavior of injection molded poly(3-hydroxybutyrate)/poly(E-caprolactone) blends. Materials Research, v. 9, n.01, p. 25-27, 2006.

Capítulos em Livros:

- SALMORIA, G. V. ; KLAUSS, P. ; K.M. Zepon ; Kanis, L. ; Roesler, C.R.M. . A DEVELOPMENT OF FUNCTIONAL GRADED DEVICE OF PCL/PG BY SELECTIVE LASER SINTERING FOR DRUG DELIVERY APPLICATIONS. In: Paulo Bartolo. (Org.). Innovative Developments in Virtual and Rapid Prototyping. Innovative Developments in Virtual and Rapid Prototyping. Leiria: Taylor & Francis, 2012, v. 5, p. 187-190.

- Volpato, Cláudia A. M. ; GARBELOTTO, Luis Gustavo Daltoe ; Fredel, Márcio Celso ; BONDIOLI, Federica . Application of Zirconia in Dentistry: biological, mechanical and optical considerations.. In: In: Costas Sikalidis. (Org.). (Org.). Advances in ceramics - electric and ceramics, bioceramics, ceramics and environment.. Advances in ceramics - electric and ceramics, bioceramics, ceramics and environment.. 1ed .Rijeka: In Tech, 2011: Publisher: InTech, September 2011, 2011, v. 1, p. 397-420.

- VASSOLER, Jakson Manfredini ; Guimaraes Neto, A.C.B ; BOTEGA, L. F. C. ; FANCELLO, E. A. . Identification of material parameters for elastoplastic model using a digital image correlation method. In: E.A. Fancello; P. T. R. de Mendonça; M. Alves. (Org.). Solid Mechanics in Brazil 2011. Solid Mechanics in Brazil 2011. 1ed .Rio de Janeiro: ABCM, 2011, v. 1, p. 555-571.

- KLAUSS, Priscila ; SALMORIA, G. V. ; PAGGI, Rodrigo ; M. Souza ; Kanis, L. . RAPID MANUFACTURING OF POLYCAPROLACTONE / PRO-GESTERONE DRUG DELIVERY DEVICE BY SLS. In: edited by Paulo Jorge da Silva Bartolo. (Org.). Advanced Research in Virtual and Rapid Prototyping. Advanced Research in Virtual and Rapid Prototyping. Lindon: Taylor & Francis, 2010, v. , p. 61-65.

Núcleo de Engenharia Biomecânica e Biomateriais

<http://engenhariabiomecanica.ufsc.br/>

gsalmoria@emc.ufsc.br

- FANCELLO, E. A. ; DALLACOSTA, D. ; ROESLER, C. R. M. . Numerical simulation of bone remodelling process considering interface tissue differentiation in total hip replacements. *Biomechanics of Hard Tissues - modeling , testing and materials. Biomechanics of Hard Tissues - modeling , testing and materials.* : Wiley-VCH, 2010, v. , p. -.

- FANCELLO, E. A. ; DALLACOSTA, D. ; ROESLER, C. R. M. . Simulação Tridimensional do Remodelamento Ósseo em Torno de Próteses do Quadril. In: Francisco Moura Neto; Gustavo Platt; Ivan Bastos; Marisa Rocha; Nélio Henderson. (Org.). *Modelagem computacional em materiais. Modelagem computacional em materiais.* 1ed .Rio de Janeiro: Ciência Moderna Ltda, 2010, v. , p. 81-99.

- CASADEI, Ana Paula M ; DINGEE, Fabricio ; SILVA, T. E. ; PRETTE, Andre L Geromel ; Rambo, C. R. ; FREDEL, M. C. ; DUEK, Eliana A de Rezende . Manufacturing of Porous PPLA-HA Composite Scaffolds by Sintering for Bone Tissue Engineering.. In: Roger Narayan; Paolo Colombo; Dileep Singh; Jonathan Salem. (Org.). *Ceramic Engineering and Science Proceedings / Advances in Bioceramics and Porous Ceramics II. Ceramic Engineering and Science Proceedings / Advances in Bioceramics and Porous Ceramics II.* : Copyright 2010 The American Ceramic Society., 2010, v. , p. 169-177.